Neuroscience Letters, 149 (1993) 237–240
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, K., Kawagoe, J.-i., Aoki, M. and Kogure, K., Dissociation of HSP70 and HSC70 heat shock mRNA inductions as an early biochemical marker of ischemic neuronal death, 165
Adem, A., see Koman, A., 79
Agnati, L.F., see Pich, E.M., 209
Akaike, N., see Ueno, S., 15
Alberch, J., see Pérez-Navarro, E., 47
Alexander, J. and Murthy, C., Alterations in mitochondrial branched-chain amino acid metabolism in brain in acute hyperammonemic states, 221
Antonopoulos, J., see Michaloudi, H., 129
Aoki, M., see Abe, K., 165
Arenas, E., see Pérez-Navarro, E., 47
Arnauld, E., Wattiaux, J.-P., Arsaut, J., Rostène, W. and Vincent, J.-D., Alterations in vasopressin and oxytocin messenger RNA in the rat supraoptic nucleus during dehydration-rehydration evaluated by in situ hybridization and Northern blotting, 177
Arsaut, J., see Arnauld, E., 177

Baba, A., Saga, H. and Hashimoto, H., Inhibitory glutamate response on cyclic AMP formation in cultured astrocytes, 182
Bartfai, T., see Verge, V.M.K., 193
Baudry, M., see Shahi, K., 185
Bjelke, B., see Coveñas, R., 149
Bjelke, B., see Duggan, A.W., 205
Block, F., Kunkel, M. and Schwarz, M., Quinolinic acid lesion of the striatum induces impairment in spatial learning and motor performance in rats, 126
Bloxham, C.A., see Morris, C.M., 141
Brelière, J.-C., see Poncelet, M., 40
Buhl, E.H., see Jones, R.S.G., 35
Bures, J., see Koroleva, V.I., 153

Cairns, N.J., Chadwick, A., Lantos, P.L., Levy, R. and Rossor, M.N., βA4 protein deposition in familial Alzheimer's disease with the mutation in codon 717 of the βA4 amyloid precursor protein gene and sporadic Alzheimer's disease, 137
Candy, J.M., see Morris, C.M., 141
Carani, C., see Pich, E.M., 209
Carboni, S., see Fage, D., 173
Carter, C., see Fage, D., 173
Cavanagh, M.E., see Michaloudi, H., 129
Cazaubon, S., see Koman, A., 79
Chadwick, A., see Cairns, N.J., 137
Chen, D.-Y., Deutsch, J.A., Gonzalez, M.F. and Gu, Y., The induction and suppression of c-*fos* expression in the rat brain by cholecystokinin and its antagonist L364,718, 91
Chrétien, M., see Day, R., 27
Cintra, A., see Coveñas, R., 149
Clarke, T.M., see Pilkington, G.J., 1
Corotto, F.S., Henegar, J.A. and Maruniak, J.A., Neurogenesis persists in the subependymal layer of the adult mouse brain, 111
Couraud, P.-O., see Koman, A., 79
Coveñas, R., de León, M., Cintra, A., Bjelke, B., Gustafsson, J.-Å. and Fuxe, K., Coexistence of c-Fos and glucocorticoid receptor immunoreactivities in the CRF immunoreactive neurons of the paraventricular hypothalamic nucleus of the rat after acute immobilization stress, 149
Cullinan, W.E., see Day, R., 27

Day, R., Schafer, M.K.-H., Cullinan, W.E., Watson, S.J., Chrétien, M. and Seidah, N.G., Region specific expression of furin mRNA in the rat brain, 27
de León, M., see Coveñas, R., 149
Delaney, S.M., Sutherland, G.R., Peeling, J. and Geiger, J.D., Failure of 2′-deoxycoformycin to protect against transient forebrain ischemia in rat, 31
Deutsch, J.A., see Chen, D.-Y., 91
Dirnagl, U., Lindauer, U. and Villringer, A., Role of nitric oxide in the coupling of cerebral blood flow to neuronal activation in rats, 43
Dostert, P., see Maruyama, W., 115
Dryer, S.E., Properties of single Na^+-activated K^+ channels in cultured central neurons of the chick embryo, 133
Duggan, A.W., Hope, P.J., Lang, C.W. and Bjelke, B., Noxious mechanical stimulation of the hind paws of the anaesthetized rat fails to elicit release of immunoreactive β-endorphin in the periaqueductal grey matter, 205
Dunan, J.R., see Pilkington, G.J., 1

Edwardson, J.A., see Morris, C.M., 141
Emonds-Alt, X., see Poncelet, M., 40
Ezure, K., see Otake, K., 213
Fage, D., Carboni, S., Voltz, C., Scatton, B. and Carter, C., Ornithine decarboxylase inhibition or NMDA receptor antagonism reduce cortical polyamine efflux associated with dialysis probe implantation, 173

Finsten, A., see Preston, E., 75
Fischer, A., Mundel, P., Mayer, B., Preissler, U., Philippin, B. and Kummer, W., Nitric oxide synthase in guinea pig lower airway innervation, 157
Fox, E.A. and Gruol, D.L., Corticotropin-releasing factor suppresses the afterhyperpolarization in cerebellar Purkinje neurons, 103
Fujimoto, M., see Shigeri, Y., 19
Fukunaga, K., see Goto, S., 189
Fuxe, K., see Coveñas, R., 149

Garza, M., see Sun, J.-H., 56
Geiger, J.D., see Delaney, S.M., 31
Gonzalez, M.F., see Chen, D.-Y., 91
Goto, S., Nagahiro, S., Korematsu, K., Ushio, Y., Fukunaga, K., Miyamoto, E. and Hofer, W., Cellular colocalization of calcium/calmodulin- dependent protein kinase II and calcineurin in the rat cerebral cortex and hippocampus, 189
Griguer, C., Sans, A., Valmier, J. and Lehouelleur, J., Inward potassium rectifier current in type I vestibular hair cells isolated from guinea pig, 51
Gruol, D.L., see Fox, E.A., 103
Gu, Y., see Chen, D.-Y., 91
Gueudet, C., see Poncelet, M., 40
Gustafsson, J.-Å., see Coveñas, R., 149

Haas, N., see Sutherland, G., 123
Haji, A. and Takeda, R., Variations in membrane potential trajectory of post-inspiratory neurons in the ventrolateral medulla of the cat, 233

Hashiguchi, H., see Maruyama, W., 115
Hashimoto, H., see Baba, A., 182
Hatanaka, M., see Takahashi, J.B., 83
Hattori, Y., see Hayashi, Y., 63
Hayashi, Y., Hattori, Y., Moriwaki, A., Yun-Fei, L. and Hori, Y., Increases in brain polyamine concentrations in chemical kindling and single convulsion induced by pentylenetetrazol in rats, 63
Heinonen, O., Syrjänen, S., Soininen, H., Talasniemi, S., Kaski, M., Mäntyjärvi, R., Syrjänen, K. and Riekkinen Sr., P., Circulating immune complexes in sera from patients with Alzheimer's disease, multi-infarct dementia and Down's syndrome, 67
Henegar, J.A., see Corotto, F.S., 111
Hirai, H., Tomita, H. and Okada, Y., Inhibitory effect of GABA (γ-aminobutyric acid) on the induction of long-term potentiation in guinea pig superior colliculus slices, 198
Hirobe, M., see Maruyama, W., 115
Hitosugi, H., see Kamei, J., 161
Hofer, W., see Goto, S., 189
Hökfelt, T., see Verge, V.M.K., 193
Hope, P.J., see Duggan, A.W., 205
Hori, Y., see Hayashi, Y., 63
Hoshimaru, M., see Takahashi, J.B., 83
Houk, J.C., see Sarrafizadeh, R., 59

Inoue, O., see Suhara, T., 225
Inoue, S., see Saitou, S., 12
Iwamoto, Y., see Kamei, J., 169

Jones, R.S.G. and Buhl, E.H., Basket-like interneurones in layer II of the entorhinal cortex exhibit a powerful NMDA-mediated synaptic excitation, 35

Kakehata, S., see Ueno, S., 15
Kamei, J., Hitosugi, H. and Kasuya, Y., Formalin- induced nociceptive responses in diabetic mice, 161
Kamei, J., Iwamoto, Y., Kawashima, N., Suzuki, T., Nagase, H., Misawa, M. and Kasuya, Y., Possible involvement of μ_2-mediated mechanisms in μ-mediated antitussive activity in the mouse, 169
Kaski, M., see Heinonen, O., 67
Kasuya, Y., see Kamei, J., 169
Kasuya, Y., see Kamei, J., 161
Kato, H., see Murase, K., 229
Kawagoe, J.-i., see Abe, K., 165
Kawashima, N., see Kamei, J., 169
Keifer, J., see Sarrafizadeh, R., 59
Kikuchi, H., see Takahashi, J.B., 83
Kniesel, U. and Wolburg, H., Tight junction complexity in the retinal pigment epithelium of the chicken during development, 71
Knott, J.C.A., see Pilkington, G.J., 1
Kobayashi, K., see Suhara, T., 225
Kogure, K., see Murase, K., 229
Kogure, K., see Abe, K., 165
Komachi, H., Yanagisawa, K., Shirasaki, Y. and Miyatake, T., Reduced membrane-associated protein kinase C(β) immunoreactivity in the hippocampus of reserpinized rat brain, 6
Koman, A., Cazaubon, S., Adem, A., Couraud, P.-O. and Strosberg, A.D., Different regulatory patterns of M_1 and M_2 muscarinic receptor subtypes RNA in SH-SY5Y human neuroblastoma induced by phorbol ester or DMSO, 79
Korematsu, K., see Goto, S., 189
Koroleva, V.I. and Bures, J., Rats do not experience cortical or hippocampal spreading depression as aversive, 153
Krug, L., Wicht, H. and Northcutt, R., Afferent and efferent connections of the thalamic eminence in the axolotl, *Ambystoma mexicanum*, 145
Kummer, W., see Fischer, A., 157
Kunkel, M., see Block, F., 126

Lang, C.W., see Duggan, A.W., 205
Langel, Ü., see Verge, V.M.K., 193
Lantos, P.L., see Cairns, N.J., 137
Le Fur, G., see Poncelet, M., 40
Lehouelleur, J., see Griguer, C., 51
Levy, R., see Cairns, N.J., 137
Lindauer, U., see Dirnagl, U., 43

Mäntyjärvi, R., see Heinonen, O., 67
Maki, B.E., Whitelaw, R.S. and McIlroy, W.E., Does frontal-plane asymmetry in compensatory postural responses represent preparation for stepping?, 87
Manchester, L.C., see Sun, J.-H., 56
Marrama, P., see Pich, E.M., 209
Marsal, J., see Pérez-Navarro, E., 47
Maruniak, J.A., see Corotto, F.S., 111
Maruyama, W., Nakahara, D., Dostert, P., Hashiguchi, H., Ohta, S., Hirobe, M., Takahashi, A., Nagatsu, T. and Naoi, M., Selective release of serotonin by endogenous alkaloids, 1-methyl-6,7- dihydroxy-1,2,3,4-tetrahydroisoquinolines, (*R*)- and (*S*)salsolinol, in the rat striatum; in vivo microdialysis study, 115
Marvizon, J.-C., see Shahi, K., 185
Mathé, A.A., Nomikos, G.G. and Svensson, T.H., In vivo release of somatostatin from rat hippocampus and striatum, 201
Mathers, D.A., Effects of the benzothiadiazine TAG on channel activation at mammalian glycine receptors, 23
Mayer, B., see Fischer, A., 157
McGaraughty, S., Reinis, S. and Tsoukatos, J., Investigating the role of anaesthetics on the rostral ventromedial medulla: implications for a GABAergic link between ON and OFF cells, 119
McIlroy, W.E., see Maki, B.E., 87
Michaloudi, H., Papadopoulos, G.C., Antonopoulos, J., Cavanagh, M.E. and Parnavelas, J.G., Postnatal development of vasoactive intestinal polypeptide-containing neurons in the visual cortex of normal and dark-reared rats, 129
Misawa, M., see Kamei, J., 169
Miyamoto, E., see Goto, S., 189
Miyatake, T., see Komachi, H., 6
Moriwaki, A., see Hayashi, Y., 63
Morris, C.M., Candy, J.M., Edwardson, J.A., Bloxham, C.A. and Smith, A., Evidence for the localization of haemopexin immunoreactivity in neurones in the human brain, 141
Mundel, P., see Fischer, A., 157
Murase, K., Kato, H. and Kogure, K., Limited but evident protective effects of MK-801 and pentobarbital on neuronal damage following forebrain ischemia in the gerbil under normothermic conditions, 229
Murthy, C., see Alexander, J., 221

Nagahiro, S., see Goto, S., 189
Nagai, K., Stoynev, A.G., Nagai, N. and Nakagawa, H., Reduced increase in plasma renin activity on water-deprivation in blind hereditary microphthalmic rats, 217
Nagai, N., see Nagai, K., 217
Nagase, H., see Kamei, J., 169
Nagatsu, T., see Maruyama, W., 115
Nakagawa, H., see Nagai, K., 217

Nakahara, D., see Maruyama, W., 115
Nakamura, Y., see Otake, K., 213
Naoi, M., see Maruyama, W., 115
Niijima, A., see Saitou, S., 12
Nöll, G.N., see Tsuyama, Y., 95
Nomikos, G.G., see Mathé, A.A., 201
Northcutt, R., see Krug, L., 145

Ohta, S., see Maruyama, W., 115
Okada, Y., see Hirai, H., 198
Otake, K., Nakamura, Y. and Ezure, K., Projections from the commissural subnucleus of the solitary tract onto catecholamine cell groups of the ventrolateral medulla, 213

Papadopoulos, G.C., see Michaloudi, H., 129
Parnavelas, J.G., see Michaloudi, H., 129
Peeling, J., see Delaney, S.M., 31
Peeling, J., see Sutherland, G., 123
Pérez-Navarro, E., Alberch, J., Arenas, E. and Marsal, J., Nerve growth factor and its receptor are differentially modified by chronic naltrexone treatment during rat brain development, 47
Philippin, B., see Fischer, A., 157
Pich, E.M., Solfrini, V., Marrama, P., Tiengo, M., Agnati, L.F. and Carani, C., Centrally administered neuropeptide Y fails to increase food intake but enhances hypoalgesia in spontaneously hypertensive rats, 209
Pilkington, G.J., Dunan, J.R., Rogers, J.P., Clarke, T.M. and Knott, J.C.A., Growth factor modulation of surface ganglioside expression in cloned neoplastic glia, 1
Poeggeler, B., see Sun, J.-H., 56
Poncelet, M., Gueudet, C., Emonds-Alt, X., Brelière, J.-C., Le Fur, G. and Soubrié, P., Turning behavior induced in mice by a neurokinin A receptor agonist: stereoselective blockade by SR 48968, a non-peptide receptor antagonist, 40
Pranzatelli, M.R., Regional differences in the ontogeny of 5-hydroxytryptamine-1C binding sites in rat brain and spinal cord, 9
Preissler, U., see Fischer, A., 157
Preston, E., Sutherland, G. and Finsten, A., Three openings of the blood–brain barrier produced by forebrain ischemia in the rat, 75

Reinis, S., see McGaraughty, S., 119
Reiter, R.J., see Sun, J.-H., 56
Riekkinen Sr., P., see Heinonen, O., 67
Rogers, J.P., see Pilkington, G.J., 1
Rossor, M.N., see Cairns, N.J., 137
Rostène, W., see Arnauld, E., 177

Saga, H., see Baba, A., 182
Saitou, S., Tanaka, K., Inoue, S., Takamura, Y. and Niijima, A., Glycine sensors in the hepato- portal system and their reflex effects on pancreatic efferents in the rat, 12
Sans, A., see Griguer, C., 51
Sarrafizadeh, R., Keifer, J. and Houk, J.C., Anatomy of the turtle cerebellorubral circuit studied in vitro using neurobiotin and biocytin, 59
Scatton, B., see Fage, D., 173
Schafer, M.K.-H., see Day, R., 27
Schmidt, K.-F., see Tsuyama, Y., 95
Schwarz, M., see Block, F., 126
Seidah, N.G., see Day, R., 27
Shahi, K., Marvizon, J.-C. and Baudry, M., High concentrations of glycine induce long-lasting changes in synaptic efficacy in rat hippocampal slices, 185
Shigeri, Y. and Fujimoto, M., Neuropeptide Y stimulates DNA synthesis in vascular smooth muscle cells, 19
Shirasaki, Y., see Komachi, H., 6
Sluka, K.A. and Westlund, K.N., An experimental arthritis model in rats: the effects of NMDA and non-NMDA antagonists on aspartate and glutamate release in the dorsal horn, 99
Smith, A., see Morris, C.M., 141
Soininen, H., see Heinonen, O., 67
Solfrini, V., see Pich, E.M., 209
Soubrié, P., see Poncelet, M., 40
Stoynev, A.G., see Nagai, K., 217
Strosberg, A.D., see Koman, A., 79
Suhara, T., Inoue, O., Kobayashi, K., Suzuki, K. and Tateno, Y., Age-related changes in human muscarinic acetylcholine receptors measured by positron emission tomography, 225
Sun, J.-H., Yaga, K., Reiter, R.J., Garza, M., Manchester, L.C., Tan, D.-X. and Poeggeler, B., Reduction in pineal *N*-acetyltransferase activity and pineal and serum melatonin levels in rats after their exposure to red light at night, 56
Sutherland, G., Haas, N. and Peeling, J., Ischemic neocortical protection with U74006F — a dose–response curve, 123
Sutherland, G., see Preston, E., 75
Sutherland, G.R., see Delaney, S.M., 31
Suzuki, K., see Suhara, T., 225
Suzuki, T., see Kamei, J., 169
Svensson, T.H., see Mathé, A.A., 201
Syrjänen, K., see Heinonen, O., 67
Syrjänen, S., see Heinonen, O., 67

Takahashi, A., see Maruyama, W., 115
Takahashi, J.B., Hoshimaru, M., Kikuchi, H. and Hatanaka, M., Extension of optic nerve fibers on genetically modified cells producing brain-derived neurotrophic factor, 83
Takamura, Y., see Saitou, S., 12
Takeda, R., see Haji, A., 233
Talasniemi, S., see Heinonen, O., 67
Tan, D.-X., see Sun, J.-H., 56
Tanaka, K., see Saitou, S., 12
Tateno, Y., see Suhara, T., 225
Tiengo, M., see Pich, E.M., 209
Tomita, H., see Hirai, H., 198
Tsoukatos, J., see McGaraughty, S., 119
Tsuyama, Y., Nöll, G.N. and Schmidt, K.-F., L-Arginine and nicotinamide adenine dinucleotide phosphate alter dark voltage and accelerate light response recovery in isolated retinal rods of the frog (*Rana temporaria*), 95

Ueno, S., Kakehata, S. and Akaike, N., Nicotinic acetylcholine receptor in dissociated rat nucleus tractus solitarii neurons, 15
Ushio, Y., see Goto, S., 189
Valmier, J., see Griguer, C., 51

Verge, V.M.K., Xu, X.-J., Langel, Ü., Hökfelt, T., Wiesenfeld-Hallin, Z. and Bartfai, T., Evidence for endogenous inhibition of autotomy by galanin in the rat after sciatic nerve section: demonstrated by chronic intrathecal infusion of a high affinity galanin receptor antagonist, 193
Villringer, A., see Dirnagl, U., 43
Vincent, J.-D., see Arnauld, E., 177
Voltz, C., see Fage, D., 173

Watson, S.J., see Day, R., 27
Wattiaux, J.-P., see Arnauld, E., 177
Westlund, K.N., see Sluka, K.A., 99
Whitelaw, R.S., see Maki, B.E., 87
Wicht, H., see Krug, L., 145
Wiesenfeld-Hallin, Z., see Verge, V.M.K., 193
Wolburg, H., see Kniesel, U., 71
Xu, X.-J., see Verge, V.M.K., 193
Yaga, K., see Sun, J.-H., 56
Yanagisawa, K., see Komachi, H., 6
Yun-Fei, L., see Hayashi, Y., 63

ANNOUNCEMENT

The 14th Biennial Meeting of the International Society for Neurochemistry will be held in Montpellier, France, August 22–27, 1993.

Deadline for abstract submission: 1 February, 1993.

Congress secretariat: GMO ISN Meeting, 624 rue de Grèzes, 34070 Montpellier, France. Tel.: (33) 67-45-56-77; Fax: (33) 67-45-57-97.

CONTENTS *(continued from the back cover)*

Evidence for endogenous inhibition of autotomy by galanin in the rat after sciatic nerve section: demonstrated by chronic intrathecal infusion of a high affinity galanin receptor antagonist
V.M.K. Verge, X.-J. Xu, Ü. Langel, T. Hökfelt, Z. Wiesenfeld-Hallin and T. Bartfai (Sweden) 193
Inhibitory effect of GABA (γ-aminobutyric acid) on the induction of long-term potentiation in guinea pig superior colliculus slices
H. Hirai, H. Tomita and Y. Okada (Japan) 198
In vivo release of somatostatin from rat hippocampus and striatum
A.A. Mathé, G.G. Nomikos and T.H. Svensson (Sweden) 201
Noxious mechanical stimulation of the hind paws of the anaesthetized rat fails to elicit release of immunoreactive β-endorphin in the periaqueductal grey matter
A.W. Duggan, P.J. Hope, C.W. Lang and B. Bjelke (UK, Sweden) 205
Centrally administered neuropeptide Y fails to increase food intake but enhances hypoalgesia in spontaneously hypertensive rats
E.M. Pich, V. Solfrini, P. Marrama, M. Tiengo, L.F. Agnati and C. Carani (Italy) 209
Projections from the commissural subnucleus of the solitary tract onto catecholamine cell groups of the ventrolateral medulla
K. Otake, Y. Nakamura and K. Ezure (Japan) 213
Reduced increase in plasma renin activity on water-deprivation in blind hereditary microphthalmic rats
K. Nagai, A.G. Stoynev, N. Nagai and H. Nakagawa (Japan, Bulgaria) 217
Alterations in mitochondrial branched-chain amino acid metabolism in brain in acute hyperammonemic states
J. Alexander and C. Murthy (USA, India) 221
Age-related changes in human muscarinic acetylcholine receptors measured by positron emission tomography
T. Suhara, O. Inoue, K. Kobayashi, K. Suzuki and Y. Tateno (Japan) 225
Limited but evident protective effects of MK-801 and pentobarbital on neuronal damage following forebrain ischemia in the gerbil under normothermic conditions
K. Murase, H. Kato and K. Kogure (Japan) 229
Variations in membrane potential trajectory of post-inspiratory neurons in the ventrolateral medulla of the cat
A. Haji and R. Takeda (Japan) 233

Announcement 240

Author index 237